

1470.10 ESTABLISHMENT OF DESIGNATED WATERCOURSES AND RIPARIAN SETBACKS.

- (a) Designated watercourses shall include those watercourses meeting any one of the following criteria:
 - (1) All watercourses draining an area greater than ½ square mile, or
 - (2) All watercourses draining an area less than ½ square mile and having a defined bed and bank.
 - (3) In determining if watercourses have a defined bed and bank, the Community may consult with a representative of the local county SWCD or other technical experts as necessary.
- (b) Riparian setbacks on designated watercourses are established as follows:
 - (1) ~~A minimum of 300 feet on both sides of all watercourses draining an area greater than 300 square miles.~~
 - (21) A minimum of ~~120~~ 100 feet on both sides of all watercourses draining an area greater than 20 square miles and up to and including 300 square miles.
 - (32) A minimum of ~~75~~ 50 feet on both sides of all watercourses draining an area greater than one-half square mile and up to and including 20 square miles.
 - (43) A minimum of 25 feet on both sides of all watercourses draining an area less than one-half square mile and having a defined bed and bank as determined above.

1470.11 ESTABLISHMENT OF WETLAND SETBACKS.

Wetland setbacks are established as follows:

- (a) A minimum of ~~120~~ 50 feet surrounding and including all Ohio EPA Category 3 Wetlands, or current equivalent Ohio EPA classification.
- (b) A minimum of ~~75~~ 25 feet surrounding and including all Ohio EPA Category 2 Wetlands, or current equivalent Ohio EPA classification.